

**AVANSIA** 

## Full details on the features of the Avansia printer



# Avansia:

# **Everything retransfer print technology** can offer you

### An exceptional aesthetic result

With Avansia, all card designs are feasible. The retransfer technology allows printing on the entire surface of the card with no borders.


Thanks to the print resolution of 600 dpi a remarkable fineness of printing is achieved, with exceptional rendering of images and texts.

### Safety is key

Avansia creates the most secure cards for you. Encodings, UV elements, micro-texts, watermarks, guilloches: numerous possibilities of graphic and electrical personalization are provided, which contribute directly to the security of the cards.

You need even more security? Equip your Avansia with a lamination module. You then have access to a optimal level of security, thanks to different types of laminates(varnish, patch, generic and specific holograms).







### High-quality design

- · Retransfer technology for edge-to-edge printing, on both sides
- · Print resolution 600 dpi
- · Printing on all types of cards, even on irregular surfaces
- Integrated leveler, for perfectly flat cards

## **High-performance printing**

- · 250 card feeder and hopper
- · Up to 144 cards/hour (color printing, single-sided)
- · Designed forprinting in large series

## Highly secure cards

- · Multiple encoding options
- · Printing of micro-texts, guilloches and UV\* elements

### Lamination module\* For even more secure & durable cards.



• Patch

# • Generic and specific holograms

### Protection of printed data & consumables

- · Locking the printer with a key\*
- · Recognition, activation and control of the level of the ribbon via an electronic key

### Intuitive use

- · Easy access to consumables
- · Software suite with supervision system and notifications
- · Card personalization software

## **CARDPRESSO**

### **Robustness**

- · Print head with lifetime warranty
- · Printer comes with 3 year warranty

\*available on some models or as an option

### A complete range of consumables

Evolis High Trust consumables ensure high-quality printing and optimal service life for your printer.

With a wide range of cards, ribbons, and cleaning kits you're sure to find the right product for your needs.

### Our selection

- **YMCFK 400**: a Fluo panel, to print UV elements
- Clear 500: the essential ribbon for retransfer printing
- **YMCK 500**: color ribbons, high autonomy



**Features** 

& advantages

# **Technical** specifications

#### **GENERAL FEATURES**

- · Double-sided printing module (standard)
- · Perfect printing of the edges
- · 600 dpi print head (23.6 dots/mm)
- · Lamination module (CLM for Avansia) (option)

#### PRINT SPEED<sup>1</sup>

- · Single-sided (YMCK): 144 cards/hour
- · Double-sided (YMCKK): 96 cards/hour
- · Single-sided (YMCK) with lamination module: 133 cards/hour
- · Double-sided (YMCKK) with lamination module: 79 cards/hour

### CARD MANAGEMENT AND SPECIFICATIONS

- Feeder capacity: 250 cards (0.76 mm 30 mil)
- · Hopper capacity: 250 cards (0.76 mm 30 mil)
- · Reject hopper capacity: 30 cards (0.76 mm 30 mil)2
- Types of cards: PVC cards, composite PVC cards, PET-F cards, PET-G cards, polycarbonate (PC) cards, ABS cards

#### PORTS/CONNECTIVITY

- ·USB (1.0, 1.1, 2.0, 3.0), cable supplied
- · Ethernet TCP-IP 10BaseT, 100BaseT (Traffic Led)

### **EVOLIS HIGH TRUST® RIBBONS**

To maximize the quality and lifetime of the printed cards, the service life of the print head, and the overall reliability of your printer, use Evolis High Trust® ribbons.

- ·Ribbon capacities:
- Holographic transfer film: 500 prints/roll
- YMCK Ribbon: 500 prints/roll
- YMCKK Ribbon: 400 prints/roll
- YMCKI ribbon (for smart cards, magnetic stripe cards and signature panels): 400 prints/roll
- YMCKH ribbon (for non-PVC cards): 400 prints/roll
- YMCFK ribbon (F = UV ink): 400 prints/roll

List of ribbons available at www.evolis.com

### LAMINATION (OPTION)

- Single and double-sided as standard (via duplex module)
- Extensive range of laminates: patches, varnishes with or without holograms

List of laminates available at www.evolis.com

#### **SECURITY**

- · RFID lock key
- · Socket for Kensington® security lock
- · Centralized access lock for blank cards, ribbon and film (optional)3

### ADDITIONAL ENCODING MODULES

- Magnetic stripe encoder ISO 7811
- Dual encoder for contact and contactless chips
- · Options can be combined
- Factory or on-site mounting for contact and contactless chip encoders

#### **SOFTWARE**



- · Compatible with Windows® (32/64 bit): XP SP3, Vista, W7, W8, W10
- · Supplied with cardPresso XXS for designing and printing badges

#### WARRANTY CONDITIONS<sup>4</sup>

- · 3 years for the printer, lifetime for the print head
- 1: Speed measured from the insertion of the card detected by the sensor to the ejection of the card.
- 2: Provided with any printer integrating one or more encoding options.
- 3: Option available on request.
  4: Warranty subject to strict compliance with specific usage and maintenance conditions and exclusive use of Evolis High Trust® ribbons



### **GLOBAL PROVIDER OF IDENTIFICATION SOLUTIONS**

- Worldwide leader in card personalization systems for decentralized issuance
- International expertise and local support through a network of 400 distributors in 140 countries
- A unique ability to meet specific customer requirements with a Project department dedicated to design and construction of tailor-made solutions
- Evolis is ISO 9001 certified, which reflects our comprehensive approach, both in terms of quality and continuous improvement

### HEAD OFFICE / EUROPE - MIDDLE EAST - AFRICA

Evolis - 14 avenue de la Fontaine - ZI Angers-Beaucouzé 49070 - Beaucouzé - FRANCE

T +33 (0) 241 367 606 - F +33 (0) 241 367 612 - info@evolis.com

Evolis Inc. - Providence - RI - USA -evolisinc@evolis.com

### LATIN AMERICA

Evolis Inc. - Fort Lauderdale - FL - USA - evolisinc@evolis.com

Evolis Asia Pte Ltd - SINGAPORE - evolisasia@evolis.com

Evolis China - Shanghai - evolischina@evolis.com

Evolis India - Mumbai - evolisindia@evolis.com